

Fiberweb (India) Limited

CIN: L25209DD1985PLC004694











Manufacturers of PP Spunbond Nonwoven Fabrics & Products









THE COMPANY

Fiberweb is the first company in India to set up a spunbond nonwoven fabric plant.

THE PLANT AND TECHNOLOGY

The state of the art "REICOFIL II" DOUBLE BEAM plant from REIFENHAUSER, Germany

Qualified and experienced team of Engineers and Technicians.



THE PRODUCT - BROAD SPECIFICATIONS

| Weight (gsm) | Width (cm) | Length/Roll (m) | Roll Dia (cm) | Weight/Roll (kg) | Core Dia (mm) | Colours | Treatment |
|-----------------|---------------|--------------------|------------------|---------------------|------------------|-------------|---|
| 15-150 | 10-320 | 500-7500 | 25-100 | 10-500 | 76 & 101.5 | Wide Choice | Hydrophilic U.V. Stabilised Antistatic/Anti Skid Flame Retardent |

TYPICAL AVERAGE PROPERTIES

| WEIGHT | NScm EDANA 20.2 - 89 | | ELONGATION % EDANA 20.2 - 89 | | TENSILE STRENGTH ISS ASTM D 5005 - 95 | | ELONGATION % ASTM D 5035 - 9 | |
|------------------|-------------------------|-----|------------------------------------|------|--|------|------------------------------------|------|
| GSM 40.3 - 90 | | | | | | | | |
| | | | | | | | | |
| | 15 | 34 | 16 | 70 - | 120 | 7.6 | 3.6 | 70 - |
| 16 | 36 | 17 | 70 - | 120 | 8.0 | 3.8 | 70 - | 120 |
| 17 | 38 | 19 | 70 - | 120 | 8.5 | 4.3 | 70 - | 120 |
| 18 | 40 | 20 | 70 - | 120 | 8.9 | 4.5 | 70 - | 120 |
| 20 | 44 | 22 | 70 - | 120 | 9.8 | 5.0 | 70 - | 120 |
| 25 | 52 | 26 | 90 - | 140 | 11.7 | 5.9 | 90 - | 140 |
| 30 | 64 | 33 | 90 - | 140 | 14,4 | 7.4 | 90 - | 140 |
| 40 | 85 | 48 | 90 - | 140 | 19.1 | 10.8 | 90 - | 140 |
| 50 | 115 | 62 | 90 - | 160 | 25.9 | 14.0 | 90 - | 160 |
| 60 | 140 | 78 | 90 - | 160 | 31.5 | 17.5 | 90 - | 160 |
| 70 | 159 | 92 | 90 - | 160 | 35.7 | 20.7 | 90 - | 160 |
| 80 | 177 | 105 | 90 - | 160 | 39.8 | 23.6 | 90 - | 160 |
| 90 | 185 | 116 | 90 - | 160 | 41.6 | 26.1 | 90 - | 160 |
| 100 | 198 | 131 | 90 - | 160 | 44.5 | 29.5 | 90 - | 160 |
| 110 | 210 | 139 | 90 - | 160 | 47.2 | 31.3 | 90 - | 160 |
| 120 | 218 | 145 | 90 - | 160 | 49.0 | 32.6 | 90 - | 160 |
| 130 | 224 | 149 | 90 - | 160 | 50.3 | 33.5 | 90 - | 160 |
| 140 | 228 | 151 | 90 - | 160 | 51,3 | 34.0 | 90 - | 160 |
| 150 | 232 | 153 | 90 - | 160 | 52.2 | 34.4 | 90 - | 160 |

GENERAL

- # Light weight and uniform
- # Soft but strong
- # Economical
- # Excellent Hydrophilic properties
- # Non toxic & Non irritating
- # UV resistant & controls insects
- # Creates microclimate for plant growth
- # Easy to cut, stitch and heat seal
- # Can be printed, dyed and laminated

Fiberweb is an ISO 9001:2008, ISO 14001:2004, OHSAS 18001:2007 Certified Company.

Comprehansive quality management systems have been laid down in all functional areas like marketing, materials management, production, maintenance, quality assurance and customer services to fully satisfy the customer.

Subject to conditions and southern.

Strike Through 3.0 sec for hydrophilic products 15 to 25 gsm

Data and samples are representative, enquiries are welcome for specific requirements.

Data for information only, fiberweb does not warranty the use and reserves the right to continuously update the data. Average properties are targeted during manufacturing subject to conditions and are average values across the full width.



Fiberweb (India) Ltd. is the pioneer in Spunbond Nonwoven Fabrics manufacturing with reputed German Machinery

Personal Hygiene Products

Baby Diapers

Adult Diapers

Sanitary Napkins

Features & Benefits

Soft, Uniform and Strong

Economical



Agricultural Crop Cover

Crop Cover

Soil Cover

Features & Benefits

Protect against UV Radiation, wind and insects and Hail storm

Increases farm production

Economical



Textile / Industrial Applications

Protective Garments in Hospitals & Industries

Lining/Backing / Interlining in Upholstery luggage & Garments

Bed sheets, Curtains and pillow/Head covers

Air & liquid filters

Features & Benefits

Easy to cut, stitch and heat seal

Easy to print, dye and laminate

Economical





Fiberweb has a separate division for manufacturing stitched garments like medical and industrial gowns & overhauls, Aprons, Bed covers, Pillow covers and Bags etc as per customer's specifications and requirements.



























Fiberweb (India) Limited

Manufacturers of Polypropylene Spunbond Nonwoven Fabrics & Products
CIN: L25209DD1985PLC004694

Regd. Office:

Airport Road, Kadaiya, Nani Daman, (U. T.) 396 210

PHONE: 0091 (0) 260 2221458 / 1858 / 0766

Fax: 0091 (0) 260 - 2220758

Works:

S. No. 92-93B, Kadaiya, Near Dalwada Ele. Sub Station,

Nani Daman, (U. T.) 396 210

PHONE: 0091 (0) 260 2220970 / 2221342

Mumbai Office:

FIBERWEB (INDIA) LTD.

KIRAN' GROUND FLOOR, 128, BHAUDAJI ROAD, NEXT TO BANK OF BARODA, MUMBAI - 400019 PHONE: 0091 (0) 22 - 24044855, 24044876

24082689, 24082690

FAX : 0091 (0) 22 - 24044853

E-mail: fiberweb@vsnl.net

Website: www.fiberwebindia.com