

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 4010437/4020781
/4037124/4035273
Fax : 24044532/4024068 /4023516
Email : enquiry@mpcb.gov.in
Visit At : <http://mpcb.gov.in>



Kalpataru Point, 3rd & 4th floor, Sion- Matunga
Scheme Road No. 8, Opp. Cine Planet Cinema, Near
Sion Circle, Sion (E),
Mumbai - 400 022

Consent order No :- Formate1.0/ BO/CAC-Cell/ UAN No-0000056640-18/8th CAC/ 1903001752

Date- 29/03/2019

To,

M/s Sterlite Technologies Ltd,
E-1/E-2/E-3 & Gut No. 14, MIDC Waluj,
Aurangabad.

Subject: 1st Consent to operate for expansion and their amalgamation with existing consent under RED category.

- Ref : 1. Earlier Consent to operate granted vide no. BO/CAC-Cell/UAN No. 17952&27756/4th CAC/17040000326 dtd. 12.10.2017 which is valid upto 31.01.2022.
2. Earlier Consent to establish for expansion granted vide no. BO/CAC-Cell/UAN No. 0000016708/7th CAC/1703000216 dtd. 03.03.2017.
3. Your application approved in CAC meeting held on 10.12.2018.

Your application: 0000056640

Dated: 17.09.2018

For: 1st Consent to operate for expansion and their amalgamation with existing consent under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous and Other Wastes (M & T M) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent to operate is granted for the period upto 31.01.2022.
2. The actual capital investment of the industry is Rs. 1031.05 Crs. (Existing CI- Rs. 909.63 Cr + Expansion CI- Rs. 81.18 Cr + increase in CI- Rs. 40.24 Cr as per the CA certificate submitted by industry).
3. The Consent is valid for the manufacture of -

Sr. No.	Product / By-Product Name	Maximum Quantity
1	Optical Fiber	18 Lf Km/M
2	Glass preforms	75 MT/M
3	SiCl ₄	500 MT/M
4	Power Generation	13.88 MW
5	Hydrogen	696000 m ³ /M
6	Oxygen	372000 m ³ /M
	By products name	
7	Sio ₂	138 MT/M
8	HCl	3150 KL/M
9	Sodium Hypochlorite	360 KL/M

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr. no.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1.	Trade effluent	116	Schedule -I	100% recycle
2.	Domestic effluent	35	Schedule -I	CETP

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr. no.	Description of stack / source	Number of Stack	Standards to be achieved
1.	Boiler	3	As per Schedule -II
2.	Process Vents	7	As per Schedule -II
3.	CPP	2	As per Schedule -II

6. Conditions about Non Hazardous Wastes:

Sr. no.	Type Of Waste	Quantity & UOM	Treatment	Disposal
1	Glass waste (Glass, Glass Soot, heavy ends of silica Glass	30 MT/M	NA	Sale to authorized vendor/ re-processor
2	Optical fiber waste	19.2 MT/M	NA	
3	Coating Resin Plastic Can	6000 Nos./M	NA	
4	Other waste (Paper, Wooden, Plastic, Metal Cable, Garbage)	90 MT/M	NA	
5	Glass Soot	2600 Kg/M	NA	
6	Heavy and Light ends of silica glass	13.2 MT/M	NA	

7. Conditions under Hazardous and Other Wastes (M & TM) Rules, 2016 for treatment and disposal of hazardous waste:

Sr. No.	Type Of Waste	Category	Quantity	UOM	Treatment	Disposal
1	Silica residues	27.1	50	MT/M	---	CHWTSDF
2	Chemical Sludge	35.3	81.3	MT/M	---	CHWTSDF
3	Used/Spent Oil	5.1	6.3	MT/M	---	Sale to authorized re-processor/vendor
4	Discarded containers/Barrels /liners	33.3	500	No/M	---	Sale to authorized re-processor/ CHWTSDF
5	Lead Acid batteries	---	3000	Nos/A	---	Sale to authorized re-processor/vendor
6	Oil soaked cotton waste	5.2	3.0	MT/A	---	CHWTSDF
7	Spent Solvent	20.2	0.7	MT/M	---	Sale to authorized re-processor/vendor
8	E-waste	---	3.0	MT/M	---	Sale to authorized re-processor/vendor
9	Spent Acid	12.1	44	MT/M	---	Sale to authorized re-processor/vendor
10	Spent Alkali/Alkali Residue	12.2	0.8	MT/M	---	Sale to authorized re-processor/vendor

8. The Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.

9. Industry shall operate the pollution control systems so as to achieve zero liquid discharge for existing and expansion unit.

10. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government authorities.

11. Industry shall operate the pollution control systems so as to achieve zero liquid discharge for existing and expansion unit.

12. This consent is issued with overriding effect over previous Consent to operate granted vide no. BO/CAC-Cell/UAN No. 17952&27756/4th CAC/17040000326 dtd. 12.10.2017 which is valid upto 31.01.2022.

For and on behalf of the
Maharashtra Pollution Control Board

(E. Ravendiran, IAS)
Member Secretary

Received Consent fee of -

Sr. No.	Amount (Rs.)	Transaction No.	Date	Drawn On
1	Rs. 9,71,360 /-	TXN1809001762	18.09.2018	E-Payment
2	Rs. 75,000/-	TXN1810000554	10.10.2018	E-Payment
Note	Board has balance consent fee of Rs. 2,37,360/- which will be considered during next renewal of consent.			

Copy to:

1. Regional Officer -Aurangabad- *He is directed to return the BG of Rs. 10 lakh and Rs. 2 lakh obtained towards compliance of direction dated 02.07.2015 and toward submission of Board resolution as industry has complied the same reported by SRO vide letter dated 12.02.2019.*
2. Sub-Regional Officer-Aurangabad-1, MPCB:1 They are directed to ensure the compliance of the consent conditions.
3. Chief Accounts Officer, MPCB, Mumbai.
4. CC/CAC desk- for record & website updation purposes.

Schedule-I

Terms & conditions for compliance of Water Pollution Control:

1) A] As per your application, you have provided Effluent Treatment Plant (ETP) with the design capacity of 111 CMD followed by RO and MEE so as to achieve zero liquid discharge to the existing and expansion unit.

B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

Sr No.	Parameters	Limiting Concentration in mg/l, except for pH
01.	pH	5.5-9.0
02.	Oil & Grease	10
03.	BOD (3 days 27°C)	100
04.	Total Dissolved Solids	2100
05.	Suspended Solids	100
06.	COD	250
07.	Chloride	600
08.	Sulphates	1000
09.	Fluoride	15
10.	Residual Chlorine	3.0

C] The treated effluent shall be 100% recycled in the process so as to achieve zero liquid discharge. In no case, effluent shall find its way outside factory premises or used for gardening purpose.

2) A] As per your consent application, you have provided STP of capacity 75 CMD and proposed to up-grade the same to adequate capacity.

B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards/ prescribed under EP Act, 1986 and Rules made there under from time to time, whichever is stringent.

- | | | | | |
|-----|-------------------|---------------|-----|-------|
| (1) | Suspended Solids. | Not to exceed | 50 | mg/l. |
| (2) | BOD 3 days 27°C. | Not to exceed | 30 | mg/l. |
| (3) | COD | Not to exceed | 100 | mg/l. |

C] The treated sewage shall be discharged to CETP after confirming the above standards. In no case, effluent shall find its way outside factory premises.

3) The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or /and extension or addition thereto.

4) The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

- 5) The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, and other provisions as contained in the said act.

Sr. no.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	1196.6
2.	Domestic purpose	55
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	Nil
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	129
5.	Gardening	26.4

- 6) The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act,1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.

Maharashtra Pollution Control Board



Schedule-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and also erected following stack (s) to observe the following fuel pattern-

Sr. No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S %	SO ₂ Kg/Day
1	Process stack/vent (5 No)	Scrubber & Bag house	30 mtrs. each	---	---	---	---
2	Process stack/vent (2 No)	Scrubber & Bag house	20 mtrs. each	---	---	---	---
3	ETP steam boiler	Stack	30	FO	70 kg/hr	4.5	151
4	Sicl4 Steam boiler	Stack	30	FO	150 kg/hr	4.5	324
5	New Sicl4 Steam boiler	stack	30	FO	220 Kg/Hr	4.5	475
6	CPP	Stack	60	FO	1390 kg/hr	4.5	3002
7	CPP	Stack	60	FO	1820 kg/hr	4.5	3932

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time / Environmental Clearance / CREP guidelines. (Concern section shall mention specific control equipment's)
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Particulate matter	Not to exceed	150 mg/Nm ³ .
Acid Mist	Not to exceed	35 mg/Nm ³
Cl ₂	Not to exceed	3 mg/Nm ³

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



Schedule-III
Details of Bank Guarantees

Sr. No.	Consent (C to E/O/R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R	Rs 10 lakh	Submitted	Towards O&M of pollution control system	Continuous	31.05.2022

Maharashtra Pollution Control Board

Schedule-IV

General Conditions:

- 1) The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2) Industry should monitor effluent quality, stack emissions and ambient air quality monthly.
- 3) The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- 4) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 5) The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 6) The firm shall submit to this office, the 30th day of September every year , the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- 7) The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the H&OW(M&TM) Rules 2016, which can be recycled/processed/reused/recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- 8) An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- 9) **The applicant shall obtain Consent to Operate from Maharashtra Pollution Control Board before actual commencement of the Unit/ Activity.**
- 10) Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act,1981 and Environmental Protection Act,1986 and industry specific standard under EP Rules 1986 which are available on MPCB website(www.mpcb.gov.in).
- 11) The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- 12) The industry shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent condition towards Environment Protection.
- 13) Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 14) Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 15) The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution

control system. A register showing consumption of chemicals used for treatment shall be maintained.

16) Conditions for D.G. Set

- a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel
- 17) The industry should not cause any nuisance in surrounding area.
- 18) The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 19) The applicant shall maintain good housekeeping.
- 20) The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 21) The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 22) The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- 23) The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- 24) The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- 25) The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended.

—0000—

