

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I ()

No:- Format1.0/CC/UAN No.0000083270/CR - 2006001044

Date: 24/06/2020

To,
M/s H. B. Fuller India Adhesives Pvt. Ltd.,
Plot No. 1-E, Gut Nos. 1140, 1295 and 1296, A/p. Shirwal,
Tal. Khandala, Dist. Satara.

Sub: Grant of renewal of Consent to Operate.

- Ref:**
1. Previous Consent to Operate accorded by the Board vide No. Format 1.0/BO/AST/UAN No. 0000053983/O/CC-1901002068 dtd. 28/01/2019.
 2. Minutes of Consent Appraisal Committee meeting held on 04/05/2020.

Your application No.MPCB-CONSENT-0000083270 Dated 21.11.2019

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the Consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to renewal is granted for a period up to 31/01/2023**
2. **The capital investment of the project is Rs.82.0221 Crs. (As per C.A Certificate submitted by industry Existing-Rs. 69.2 Crs + Expansion/Increase in C.I. - Rs. 12.8221 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Maximum Quantity	UOM
Products			
1	Pressure Sensitive Adhesive Hygiene	7500	MT/A
2	Hot Melt Adhesive	7200	MT/A
3	Water Based Adhesive	7200	MT/A
4	Relabelling and Repacking of Adhesives	750	MT/A

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	5	As per Schedule-I	Recycle 100% to achieve ZLD

Sr No	Description	Permitted	Standards to	Disposal
2.	Domestic effluent	10	As per Schedule-I	On land for gardening

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	Thermic Fluid Heaters (2 x 4LacKCal/Hr) and Boiler (85 TPH)	1	As per Schedule -II
2	S-2	DG Set (500 KVA)	1	As per Schedule -II
3	S-3	ZLD/MVD Unit	1	As per Schedule -II
4	S-4	DG Set (1010 KVA)	1	As per Schedule -II

6. Non-Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Wooden Pallet (Scrap and Non Usable)	15000	Kg/Annum	NA	Sale to Auth. Party/ Recycler
2	Empty Corrugated Boaxes and Bags	75000	Kg/Annum	NA	Sale to Auth. Party/ Recycler
3	Corrugated Boxes, Cardboard Boxes and waste labels	75	MT/A	NA	Sale to Auth. Party/ Recycler
4	Empty Clean Drums (MS and Plastic)	4000	Nos./Y	NA	Sale to Auth. Party/ Recycler
5	Metal Scrap	15	Ton/Y	NA	Sale to Auth. Party/ Recycler

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	5.1 Used /spent oil	4	KL/A	Recycle	Sale to Auth. Party/ Recycler/ Re-processor/ CHWTSDF
2	5.2 Wastes or residues containing oil	5	MT/A	Recycle/ Incineration	Sale to Auth. Party/ Recycler/ Re-processor/ CHWTSDF
3	12.2 Alkali residue	192	MT/A	Recycle/ Secured Landfill	Sale to Auth. Party/ Recycler/ Re-processor/ CHWTSDF
4	23.1 Wastes or residues (not made with vegetable or animal materials)	180	MT/A	Recycle/ Secured Landfill	Sale to Auth. Party/ Recycler/ Re-processor/ CHWTSDF

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
5	33.1 Chemical-containing residue from decontamination and d	36000	Nos./Y	Recycle	Sale to Auth. Party/ Recycler/ CHWTSDF
6	35.3 Chemical sludge from waste water treatment	25	MT/A	Recycle/ Secured Landfill	Sale to Auth. Party/ Recycler/ Re-processor/ CHWTSDF
7	ZLD/MVD outlet powder	12	MT/A	Recycle/ Secured Landfill	Sale to Auth. Party/ Recycler/ Re-processor/ CHWTSDF

8. **Conditions under Plastic Waste Management Rules, 2016 (Notification dtd. 18/03/2016):**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Plastic Waste Scrap	2.00	MT/A	Sale to Auth. Party/ Recycler

9. **Conditions under E-Waste Management:**

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E-Waste	1.00	MT/A	Sale to Auth. E waste Recycler/ Handler

- 10 The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- 11 This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- 12 Industry shall operate & maintain ETP & STP so as to achieve Consented standards.
- 13 The industry shall 100% recycle/ reuse treated trade effluent into process, for cooling tower make up & utility purposes to achieve ZLD.
- 14 The industry shall recycle/ reuse treated domestic effluent for utility purposes to the maximum extent and remaining shall be applied on land for gardening within premise.
- 15 Industry shall extend existing Bank Guarantee of Rs. 10 Lakh towards operation and maintenance of pollution control systems and towards compliance of the Consent conditions.

For and on behalf of the
Maharashtra Pollution Control Board.

(E. Ravendiran IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	425000.00	5457456	22/11/2019	RTGS



Maharashtra Pollution Control Board

5ef2e94e99513b24b0caec1d

Copy to:

1. Regional Officer, MPCB, Pune and Sub-Regional Officer, MPCB, Satara
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. CC-CAC Desk- for record & website updating purpose.





SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 5 CMD consisting of primary & tertiary treatment followed by Mixed Vertical Drier (MVD)/ ZLD treatment for high COD/ TDS effluent from Water Based Adhesive Plant.
B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises generated from this unit.
C] The treated trade effluent shall be 100% recycled/ reused into process, for cooling tower make up & utility purposes to achieve ZLD. In no case, effluent shall find its way outside factory premises.
2. A] As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 10 CMD of sewage.
B] **The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.**

1	BOD	Not to exceed	30 mg/l
2	SS	Not to exceed	100 mg/l

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise. In no case, sewage shall find its way outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	10.00
2.	Domestic purpose	12.10
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	6.50
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00



Maharashtra Pollution Control Board

5ef2e94e99513b24b0caec1d

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
5.	Gardening	0

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.





SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	S%	SO ₂ (kg/day)
S-1	Thermic Fluid Heaters (2 x 4LacKCal/Hr) and Boiler (85 TPH)	Stack	30	LPG/HSD	220 Kg/Hr	1.00	106.00
S-2	DG Set (500 KVA)	Ladder, Platform, Porthole providec	6 mtrs. above roof	HSD	70 Kg/Hr	1.00	34.00
S-3	ZLD/MVD Unit	Srubber	3.5 above roof	LPG/HSD	25 Kg/Hr	1.00	12.00
S-4	DG Set (1010 KVA)	Provided	30	LPG/HSD	130 Kg/Hr	1.00	62.00

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards
Total Particulate Matter	Not to exceed 150 mg/Nm ³

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).



SCHEDULE-III
Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C2R	1000000	Existing	Towards O & M of pollution control system & compliance of consent to operate	31.01.2023	31.05.2023

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				





SCHEDULE-IV
General Conditions:

1. The waste generator shall.-
 - a) take steps to minimize generation of plastic waste and segregate plastic waste at source in accordance with the Solid Waste Management Rules, 2016 or as amended from time to time.
 - b) not litter the plastic waste and ensure segregated storage of waste at source and handover segregated waste to urban local body or gram panchayat or agencies appointed by them or registered waste pickers', registered recyclers or waste collection agencies;
2. All institutional generators of plastic waste, shall segregate and store the waste generated by them in accordance with the Solid Waste Management Rules, 2016 amendment from time to time and handover segregated wastes to authorized waste processing or disposal facilities or deposition centers either on its own or through the authorized waste collection agency.
3. All waste generators shall pay such user fee or charge as may be specified in the byelaws of the local bodies for plastic waste management such as waste collection or operation of the facility thereof, etc.;
4. Every person responsible for organizing an event in open space, which involves service of food stuff in plastic or multilayered packaging shall segregate and manage the waste generated during such events in accordance with the Solid Waste Management Rules, 2016 amendment from time to time.
5. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
6. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
7. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
8. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
9. The Energy source for lighting purpose shall preferably be LED based
10. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
11. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.



Maharashtra Pollution Control Board

5ef2e94e99513b24b0caec1d

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
12. The applicant shall maintain good housekeeping.
 13. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
 14. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
 15. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
 16. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
 17. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
 18. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
 19. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 20. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
 21. The PP shall provide personal protection equipment as per norms of Factory Act
 22. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
 23. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
 24. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.



Maharashtra Pollution Control Board

5ef2e94e99513b24b0caec1d

25. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
26. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
27. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
28. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
29. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
30. The industry should not cause any nuisance in surrounding area.
31. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
32. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
33. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
34. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
35. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
36. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
37. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.



Maharashtra Pollution Control Board

5ef2e94e99513b24b0caec1d

38. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
39. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
40. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
41. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

